


09/381295



Docket No.: 0057-2521-0-PCT

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

EY

RE: Patent No.: 6,811,928  
Applicants: Shigeru AIHARA, et al.  
Issued: November 2, 2004  
For: BATTERY WITH ADHESION RESIN LAYER  
INCLUDING FILLER  
Group Art Unit: 1745  
Examiner: TRACY MAE DOVE

SIR:

Attached hereto for filing are the following papers:

**Second Request for Certificate of Correction  
Certificate of Correction Form PTO 1050  
Copy of PCT Published International Application**

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

**Certificate**  
JUN 14 2007  
**of Correction**

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.  
Norman F. Oblon

Corwin P. Umbach, Ph.D.

Registration No. 40,211

Customer Number


22850

(703) 413-3000 (phone)  
(703) 413-2220 (fax)



Docket No.: 0057-2521-0-PCT

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

RE: Patent No.: 6,811,928  
Applicants: Shigeru AIHARA, et al.  
Issued: November 2, 2004  
For: BATTERY WITH ADHESION RESIN LAYER  
INCLUDING FILLER  
Group Art Unit: 1745  
Examiner: TRACY MAE DOVE

SIR:

Attached hereto for filing are the following papers:

**Second Request for Certificate of Correction**  
**Certificate of Correction Form PTO 1050**  
**Copy of PCT Published International Application**

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

Norman F. Oblon,

Corwin P. Umbach, Ph.D.

Registration No. 40,211

Customer Number

**22850**

(703) 413-3000 (phone)

(703) 413-2220 (fax)

DOCKET NO.: 0057-2521-0-PCT



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

IN RE APPLICATION OF: Shigeru AIHARA, et al.

PATENT NO.: 6,811,928

GROUP: 1745

ISSUED: November 2, 2004

EXAMINER: TRACY MAE DOVE

FOR: BATTERY WITH ADHESION RESIN LAYER INCLUDING FILLER

**SECOND REQUEST FOR CERTIFICATE OF CORRECTION**

DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE  
ALEXANDRIA, VA 22313-1450

SIR:

Repeating the Request for Certificate of Correction filed November 19, 2004, the following is a Second Request for Certificate of Correction in Serial Number 09/381,295, now U.S. Patent Number 6,811,928.

In accordance with the provisions of Rule 322 of the Rules of Practice, which implement 35 USC 254, the U.S. Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the above-identified patent.

In light of the fact that the errors were the fault of the U.S. Patent and Trademark Office, no fees are required. The requested corrections are listed on FORM P.T.O. 1050.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.  
Norman F. Oblon

---

Corwin P. Umbach, Ph.D.  
Registration No. 40,211

Customer Number

**22850**

Tel. (703) 413-3000  
Fax. (703) 413-2220  
(OSMMN 03/06)

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,811,928  
DATED: November 2, 2004  
INVENTOR(S): Shigeru AIHARA, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, Item (87), the PCT Published Date is incorrect. Item (87) should read:

--(87) PCT Pub. No.: **WO99/38224**

PCT Pub. Date: **Jul. 29, 1999** --

Mailing address of sender:

Customer Number

**22850**

Tel. (703) 413-3000  
Fax. (703) 413-2220  
(OSMMN 03/02)

Patent No. 6,811,928

No. of add'l copies  
@ .30 per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,811,928  
DATED: November 2, 2004  
INVENTOR(S): Shigeru AIHARA, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, Item (87), the PCT Published Date is incorrect. Item (87) should read:

--(87) PCT Pub. No.: **WO99/38224**

PCT Pub. Date: **Jul. 29, 1999** --

Mailing address of sender:

Customer Number

**22850**

Tel. (703) 413-3000  
Fax. (703) 413-2220  
(OSMMN 03/02)

Patent No. 6,811,928

No. of add'l copies  
@ .30 per page





PCT

特許協力条約に基づいて公開された国際出願

<p>(51) 国際特許分類6 H01M 10/40, 6/06, 6/14, 6/18, 10/30</p>	<p>A1</p>	<p>(11) 国際公開番号 WO99/38224</p> <p>(43) 国際公開日 1999年7月29日(29.07.99)</p>
<p>(21) 国際出願番号 PCT/JP98/00248</p> <p>(22) 国際出願日 1998年1月22日(22.01.98)</p> <p>(71) 出願人 (米国を除くすべての指定国について) 三菱電機株式会社 (MITSUBISHI DENKI KABUSHIKI KAISHA)[JP/JP] 〒100 東京都千代田区丸の内二丁目2番3号 Tokyo, (JP)</p> <p>(72) 発明者; および</p> <p>(75) 発明者/出願人 (米国についてのみ) 相原 茂(AIHARA, Shigeru)[JP/JP] 竹村大吾(TAKEMURA, Daigo)[JP/JP] 塩田 久(SHIOTA, Hisashi)[JP/JP] 荒金 淳(ARAGANE, Jun)[JP/JP] 添畑広明(URUSHIBATA, Hiroaki)[JP/JP] 吉田育弘(YOSHIDA, Yasuhiro)[JP/JP] 濱野浩司(HAMANO, Kouji)[JP/JP] 村井道雄(MURAI, Michio)[JP/JP] 大塚隆之(TNUZUKA, Takayuki)[JP/JP] 〒100 東京都千代田区丸の内二丁目2番3号 三菱電機株式会社内 Tokyo, (JP)</p>		<p>(74) 代理人 弁理士 宮田金雄, 外(MIYATA, Kanco et al.) 〒100 東京都千代田区丸の内二丁目2番3号 三菱電機株式会社内 Tokyo, (JP)</p> <p>(81) 指定国 CN, JP, KR, US, 欧州特許 (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE)</p> <p>添付公開書類 国際調査報告書</p>
<p>(54) Title: BATTERY</p> <p>(54) 発明の名称 電池</p> <p>(57) Abstract</p> <p>The conventional battery has such a problem that the size of the battery is not able to be reduced, because the battery must use a solid can to maintain the electrical connection between its electrodes. In such a battery in which each electrode is joined to a separator with an adhesive resin, in addition, the adhesive strength between the electrodes and a separator and the characteristics of the battery, particularly, the ion conductivity and internal resistance of the battery act as contradictory to each other. In order to solve these problems, the characteristics of the battery are enhanced by reducing the resistance between electrodes, namely, the internal resistance of the battery, while the insulating function to the electronic conduction between both electrodes and the ion conductivity are compatible with each other and, in addition, the weight, size, and thickness of the battery are reduced while maintaining the adhesive strength between both electrodes, so that the electrodes can be joined firmly to each other. The internal resistance of the battery is reduced by joining the anode and the cathode to each other with an adhesive resin layer provided at least with one filler-containing adhesive resin layer and, in addition, the characteristics of the battery are improved and the adhesive strength between the electrodes is maintained by forming the adhesive resin layer in a porous layer, so that the pores of the resin layer can be filled up with an electrolytic solution and the resin layer can have sufficiently high ion conductivity.</p> <div data-bbox="836 1239 1461 1617"> <p>フィラーにより形成される空孔体積</p> <p>空孔体積</p> <p>接着性樹脂体積</p> <p>フィラー体積</p> <p>接着性樹脂層体積</p> </div> <p>a ... volume of pores formed of filler b ... volume of pores c ... volume of adhesive resin d ... volume of filler e ... volume of adhesive resin layer</p>		